



# IMIMISELO YOMLILO

I-ITC-SA ayiqulunqi le mithetho, kodwa endaweni yoko iyayitolika yaye iyisasaze ukuze thina, njengeshishini elinoxanduva, sisebenze ngokuvumelana ne-National Building Regulations (iMimiselelo yeSizwe yoKwakha) kwakunye ne-SANS 10400.

Oku akuthethi ukuba ngenxa yokuba igunyabantu lengingqi, umphuhlisi, umakhi kunye / okanye omisa isakhiwo akanyanzelisi imimiselelo leyo nabanina enelungelo lokuzama nokufumana umtyhi wokukhuphisana ngokubhetya imithetho. Iinjini eziqondisa isiphelo seZakhiwo zoPhahla ezingathobeli iMimiselelo yoMlilo zingangxoliswa yi-Engineering Council of South Africa. Sebenza ngokuthembekileyo ngamaxsha onke.

- Isakhiwo ngasinye sekhaya esiziMeleyo esikwicala ngalinye lodonga lomlilo kufuneka sibenenkqubo yaso yokuxhasa kwisakhiwo salo sophahla, kungakhathaliseki nokuba udonga lomlilo luvelela ngaphezulu kwisigqubuthelo sophahla okanye hayi.
- Imimiselelo yomlilo ayicacisi ubukhulu besithuba esivumelekileyo phakathi kwamalungu amaplanga akhoyo kwicala ngalinye lodonga lomlilo; nangona kunjalo izixhaso ezigqitha kudonga lomlilo kufuneka zicandwe zibe zizixhaso zophahla ezahlukileyo.
- UMmiselelo uchaza ukuba ... “Akukho nxenye yomdibaniso wophahla, eyenziwe ngeplanga okanye nayiphi enye into enokutsha/ enokuvutha eya kugqitha kudonga olwahlukanisayo.”
- Akukho maleko wethayile okanye wesahlukanisi ekufuneka ugqithe ngaphezulu koDonga loMlilo.



## HEAD OFFICE

SAFCA Building | 6 Hulley Road | PO Box 686, Isando, 1600  
Tel: +27 (0) 11 974 1061 | Fax: +27 (0) 11 392 6155 | Email: enquiries@itc-sa.org



## BRANCHES

South / Eastern Cape | KwaZulu-Natal | Western Cape

[www.itc-sa.org](http://www.itc-sa.org)

